

# Stratasys Origin<sup>®</sup> One

A transformative 3D printer enabling mass production of end-use parts in a diverse range of high-performance materials. Achieve industry-leading accuracy, consistency, detail and throughput with Programmable PhotoPolymerization P3™ technology. In situ analytics, combined with automatic pressure, pull force and temperature regulation, ensure the first part is the same as the last. See powerful product improvements over time, with over-the-air software updates that unlock new advanced materials and workflow optimizations.

## General

Technology	Programmable PhotoPolymerization P3™
Materials	Photocurable materials from Stratasys ecosystem material partners. Refer to Stratasys website for an up-to-date selection.
Build Envelope (XYZ)	192 x 108 x 370 mm / 7,672 cm <sup>3</sup> (7.5 x 4.25 x 14.5 in. / 462 in <sup>3</sup> ) Maximum length on the diagonal — 220 mm (8.6 in.)
Minimum Feature Size	Material and design dependent, as low as 50µm
Resolution	4K light engine
Process Energy	UV (385nm) and thermal
Pre-Print Software	GrabCAD Print or optional 3rd party solutions
Regulatory Compliance	CE, FCC, KC, RCM

## Physical Footprint

System Size and Weight	49.6 x 60.1 x 119.1 cm (19.5 x 23.6 x 46.8 in.) 81 kg (180 lbs.)
------------------------	---

## Facility Requirements

Power Requirements	100-240 VAC, 50/60Hz, 7.1A, 1 Ph or 200-240 VAC, 50/60 Hz, 3.5 A, 1 Ph
Network Connectivity	Ethernet / Offline connectivity available with Origin One Local
Ventilation	Refer to photopolymer material MSDS or contact Stratasys rep for guidelines.
Operating Conditions	Operating temperature 15°C to 30°C (59°F to 86°F) Operating Humidity 30% to 70%
Gas Exhaust (optional)	Facility exhaust

## Material Handling

Resin Tray Capacity	2L
Resin Storage Temp	Typically 15°C to 30°C (59°F to 86°F)

## Security Features

Printer Authentication	Cryptographically-secure handshake
Network Security	Industry-standard end-to-end encryption

## Optional Add-Ons

On-Premise	Origin One Local
Air Extraction	ProAero

**USA - Headquarters**  
7665 Commerce Way  
Eden Prairie, MN 55344, USA  
+1 952 937 3000

**ISRAEL - Headquarters**  
1 Holtzman St., Science Park  
PO Box 2496  
Rehovot 76124, Israel  
+972 74 745 4000

[stratasys.com](http://stratasys.com)  
ISO 9001:2015 Certified

**EMEA**  
Airport Boulevard B 120  
77836 Rheinmünster, Germany  
+49 7229 7772 0


**ASIA PACIFIC**  
7th Floor, C-BONS International Center  
108 Wai Yip Street Kwun Tong Kowloon  
Hong Kong, China  
+ 852 3944 8888

**Energy Group**

3D Printing Solutions for Industry

a SolidWorld Group company

RIVENDITORE CERTIFICATO

**stratasys** 

free line 051 864519 | [www.energygroup.it](http://www.energygroup.it)

